

WO2005055913

Publication Title:

COMPRESSION DEVICE

Abstract:

Abstract of WO2005055913

A compression garment (1) that wraps around a limb has a bladder (3) inflated by a pump (not shown) to apply pressure to a specific area of the limb in order to empty the veins in that limb and upon release of that pressure by deflation the bladder (3), there is increased blood flow in the arterial system. The garment (1) also warms the tissues, typically between 32 and 42 degree centigrade, the heating achieved by passing an electric current through a conductive material (5) that converts the electrical energy into heat. The material (5) and an outer layer (6) of the garment are joined at their peripheries enclosing the bladder (3) within. The garment (1) provides all round warming of the limb and gradual compression to a part of the limb at low pressure, proven to be effective in improving arterial blood flow and more comfortable to the user.

Data supplied from the esp@cenet database - Worldwide

Courtesy of <http://v3.espacenet.com>

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
23 June 2005 (23.06.2005)

PCT

(10) International Publication Number
WO 2005/055913 A1

(51) International Patent Classification⁷: **A61H 23/04**

(74) Agent: **WILLIAMS POWELL**; Morley House, 26-30
Holborn Viaduct, London EC1A 2BP (GB).

(21) International Application Number:
PCT/GB2004/005207

(22) International Filing Date:
10 December 2004 (10.12.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0328774.5 12 December 2003 (12.12.2003) GB

(71) Applicant (for all designated States except US):
HUNTLEIGH TECHNOLOGY PLC [GB/GB];
310-312 Dallow Road, Luton, Bedfordshire LU1 1TD
(GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HAMPSON, David**
[GB/GB]; 34 Highfields, Cardiff CF5 2QB (GB). **MOR-**
RIS, Rhys [GB/GB]; University of Wales College of
Medicine, Heath Park, Cardiff CF4 4XW (GB).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.


(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO,
SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN,
GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

[Continued on next page]

(54) Title: COMPRESSION DEVICE



(57) Abstract: A compression garment (1) that wraps around a limb has a bladder (3) inflated by a pump (not shown) to apply pressure to a specific area of the limb in order to empty the veins in that limb and upon release of that pressure by deflation of the bladder (3), there is increased blood flow in the arterial system. The garment (1) also warms the tissues, typically between 32 and 42 degree centigrade, the heating achieved by passing an electric current through a conductive material (5) that converts the electrical energy into heat. The material (5) and an outer layer (6) of the garment are joined at their peripheries enclosing the bladder (3) within. The garment (1) provides all round warming of the limb and gradual compression to a part of the limb at low pressure, proven to be effective in improving arterial blood flow and more comfortable to the user.

WO 2005/055913 A1



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Compression Device

The present invention relates to an inflatable compression device, in particular an inflatable
5 compression device for improving arterial blood flow.

Existing inflatable compression devices for improving arterial blood flow comprise a wrap-around garment having inflatable bladders, the garment wrapped around a lower limb and the bladders inflated by a pump
10 to apply pressure to the limb. Normally, the bladders are inflated rapidly at high pressure in order to empty the veins in the limb reducing the venous pressure, so that upon rapid deflation of the bladders, the reduced venous pressure results in an increased blood flow (hyperaemic
15 response) in the arterial system.

Such inflatable compression devices are known to increase flow in the major blood vessels and over time, alleviate the symptoms of arterial disease, but are generally not comfortable for the user due to the use of
20 rapid inflation at high pressures.

The present invention seeks to make improvements.

Accordingly, the present invention provides an inflatable compression device comprising a garment to encircle a limb, the garment having at least one bladder
25 inflatable by a pump to apply pressure to a specific area of the limb covered by the garment, the garment further having means to warm substantially the whole of the limb covered by the garment. The combination of compression and warming is more efficient than systems that provide
30 just compression alone, or warming alone. The device acts on the tissues at the site of compression, empties the veins, to promote a hyperaemic response in the arteries and so improves arterial flow. Over time, collateral flow in the diseased arteries is improved. The additional
35 warming promotes flow to the superficial tissues by means

of vasodilatation of the arterioles and capillaries. This overall warming of the area augments and complements the effects of the local compression and the overall effect is greater than using each method alone. Heating the tissues increases blood flow to the parts where ulcers and lesions occur and in doing so, help to cure them. The compression prevents the accumulation of the products of accelerated metabolism that may be promoted by warming, and by promoting hyperaemia ensures re-perfusion of oxygenated blood to tissue. Therefore, a combination of compression and warming improves significantly the general flow of fluids in the limb, both nutritional flow into the limb via the arteries and drainage of fluids at the lesions.

Preferably, the pressure applied to the limb is low and gradual, such that the compression device of the present invention operates at much lower pressures than existing compression devices. The gradual inflation of the bladder with warming is far more comfortable and better tolerated by the users, ensuring patient compliance. We have found that heating the whole area of the limb covered by the garment gave better blood flow measurements than heating only part of the limb. Furthermore, improved arterial flow was achieved with applying pressure to only specific areas of the limb covered by the garment resulting in a simpler garment requiring only a small bladder and better patient compliance. Advantageously, this combined compression and warming acts upon both systemic flow and superficial tissues at the same time.

In a preferred embodiment, the warming means includes an electrically heated flexible material forming an inner layer of the garment. Alternatively, the warming can be achieved by heating elements attached to an inner

layer of the garment. Other possibilities for the warming material include conductive polymers, carbon fibres, and foils. Preferably, the inner layer of the garment is joined together with an outer layer at their peripheries enclosing the bladder in between the layers, and more preferably both layers of the garment are vapour permeable to allow the transmission of sweat from the limb to the atmosphere.

The present invention is described by way of example below, with reference to the accompanying drawings in which:

Figure 1 is a schematic diagram of a preferred embodiment of the invention;

Figure 2 shows a cross-section of the garment in Figure 1 along X-X.

Referring to Figure 1, the device consists of a compression garment 1 that encircles a lower limb and is held in place with hook fasteners 2, although other means such as a zip, or even a slip on garment can be used.

The garment 1 has an air bladder 3 to apply pressure to a part, for example, the calf of a lower limb when inflated. The bladder 3 is made from flexible plastic film welded together to form an air tight enclosure with an integral supply hose 4. The bladder 3 is smaller than the garment and can take any form sufficient to compress only a specific area of the limb covered by the garment. The bladder 3 can be inflated to a pressure and time duration appropriate to the desired therapy by means of a pump (not shown) via hose 4. The bladder 3 is attached to the outer layer 6 of the garment.

The garment 1 also includes an inner layer of thermally transmissive material 5 to apply warming to the tissues (typically between 32 and 46 degree centigrade)

by passing an electrical current through the material 5. Possible materials include conductive polymers, carbon fibres, wire elements and foils. In another embodiment the inner layer 5 can be a material 5 housing electrical heating elements suitably insulated and extending the full area of the garment to provide heat to the whole circumference of the limb. The inner 5 and outer layers 6 of the garment are joined together at their peripheries enclosing the bladder 3 in between the layers. The outer layer 6 of the garment 1 is inextensible to provide effective compression of the limb upon inflation of the bladder such that as the bladder inflates it also imparts a reactive force to the encircling material which also compresses the limb.

Both the outer and inner layers 5, 6 are breathable to allow the transmission of water vapour and thereby avoid sweating of the limb.

We have found that a cycle of 60mmHg pressure compression for 10-12 seconds, followed by a decompression for 49 seconds allowing the venous system to refill, is the most effective in improving arterial flow. We have also found that that when compared to existing systems our protocol of a low pressure of 60mmHg for only 10-12 seconds is all that is needed to achieve a hyperaemic response and therefore increase arterial flow.

The present invention provides a compression garment that whilst applying low pressure to only part of a limb covered by the garment warms the whole area of the limb covered by the garment providing a more comfortable garment proven to improve arterial flow.

CLAIMS

1. An inflatable compression device comprising a garment to encircle a limb, the garment having at least one bladder inflatable by a pump to apply pressure to a specific area of the limb covered by the garment, the garment further having means to warm substantially the whole of the limb covered by the garment.
2. An inflatable compression device as claimed in claim 1 wherein the warming means comprises an electrically heated flexible material.
3. An inflatable compression device as claimed in claim 1 wherein the warming means comprises heating elements.
4. An inflatable compression device as claimed in claims 1, 2 or 3 wherein the garment comprises an inner layer of material having the warming means, the inner layer joined together with an outer layer of the garment at their peripheries enclosing the bladder in between the layers.
5. An inflatable compression device as claimed in claim 4 wherein both the inner and outer layers of the garment are vapour permeable.
6. An inflatable compression device as claimed in any preceding claim wherein the pressure applied to the limb is 60mmHg over 10-12 seconds.

1/1

Fig. 1





Fig. 2



INTERNATIONAL SEARCH REPORT

PCT/GB2004/005207

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61H23/04

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98/25568 A (PHILIPS ELECTRONICS N.V; PHILIPS NORDEN AB) 18 June 1998 (1998-06-18) the whole document	1-6
X	US 2 699 165 A (FERRIER ANDRE PIERRE SUZANNE) 11 January 1955 (1955-01-11) column 2, line 9 - column 3, line 17; figures 1,2	1,3
X	US 4 231 355 A (HARA ET AL) 4 November 1980 (1980-11-04) column 1, lines 12-19 column 2, lines 41-43 column 4, lines 29-35; figures 5,12 ----- -/--	1,3



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

21 March 2005

Date of mailing of the international search report

04/04/2005

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Fischer, E

INTERNATIONAL SEARCH REPORT

PCT/GB2004/005207

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 407 421 A (GOLDSMITH ET AL) 18 April 1995 (1995-04-18) column 5, line 3 - column 6, line 23 figures	1,3
A	DE 88 17 040 U1 (KARTHEUS, HOLGER, 2000 HAMBURG, DE) 16 April 1992 (1992-04-16) page 10, lines 28-30 page 13, lines 11-17; figure 5	5
A	US 4 453 538 A (WHITNEY ET AL) 12 June 1984 (1984-06-12) figure 10	6

INTERNATIONAL SEARCH REPORT

PCT/GB2004/005207

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9825568	A	18-06-1998	EP 0892629 A1 WO 9825568 A1 JP 2000505686 T	27-01-1999 18-06-1998 16-05-2000
US 2699165	A	11-01-1955	NONE	
US 4231355	A	04-11-1980	JP 54050179 A	19-04-1979
US 5407421	A	18-04-1995	NONE	
DE 8817040	U1	16-04-1992	DE 3804016 A1 EP 0327879 A2 JP 1244755 A US 4947834 A	24-08-1989 16-08-1989 29-09-1989 14-08-1990
US 4453538	A	12-06-1984	CA 1079146 A1 DE 2814691 A1 FR 2386304 A1 GB 1599607 A IT 1095103 B JP 53126787 A SE 7803943 A	10-06-1980 19-10-1978 03-11-1978 07-10-1981 10-08-1985 06-11-1978 06-11-1978